

## Letter

*Nature* **460**, 990–994 (20 August 2009) | doi:10.1038/nature08278; Received 20 May 2009; Accepted 30 June 2009

## An upper limit on the stochastic gravitational-wave background of cosmological origin

### **The LIGO Scientific Collaboration & The Virgo Collaboration**

1. \*LIGO — California Institute of Technology, Pasadena, California 91125, USA.
2. †INFN, \*Sezione di Napoli; §Università di Napoli 'Federico II' Complesso Universitario di Monte S. Angelo, I-80126 Napoli; ||Università di Salerno, Fisciano, I-84084 Salerno, Italy.
3. \*Albert-Einstein-Institut, Max-Planck-Institut für Gravitationsphysik, D-30167 Hannover, Germany.
4. \*University of Wisconsin-Milwaukee, Milwaukee, Wisconsin 53201, USA.
5. \*Stanford University, Stanford, California 94305, USA.
6. †INFN, \*Sezione di Pisa; §Università di Pisa, I-56127 Pisa; ||Università di Siena, I-53100 Siena, Italy.
7. \*Louisiana State University, Baton Rouge, Louisiana 70803, USA.
8. †INFN, \*Sezione di Roma; §Università 'La Sapienza', I-00185 Roma, Italy.
9. †Département Artemis, Observatoire de la Côte d'Azur, CNRS, F-06304 Nice, France.
10. \*University of Florida, Gainesville, Florida 32611, USA.
11. †LAL, Université Paris-Sud, IN2P3/CNRS, F-91898 Orsay, France.
12. \*University of Birmingham, Birmingham B15 2TT, UK.
13. \*Leibniz Universität Hannover, D-30167 Hannover, Germany.
14. \*Albert-Einstein-Institut, Max-Planck-Institut für Gravitationsphysik, D-14476 Golm, Germany.
15. \*Montana State University, Bozeman, Montana 59717, USA.
16. †European Gravitational Observatory (EGO), I-56021 Cascina (PI), Italy.
17. \*LIGO — Hanford Observatory, Richland, Washington 99352, USA.
18. \*University of Glasgow, Glasgow G12 8QQ, UK.
19. \*University of Western Australia, Crawley, Western Australia 6009, Australia.
20. \*LIGO — Massachusetts Institute of Technology, Cambridge, Massachusetts 02139, USA.
21. †AstroParticule et Cosmologie (APC), CNRS-UMR 7164-IN2P3-Observatoire de Paris-Université Denis Diderot-Paris VII F-75205 Paris-CEA; DSM/IRSU F-91191 Gif-sur-Yvette, France.
22. \*Columbia University, New York, New York 10027, USA.
23. †\*Nikhef, National Institute for Subatomic Physics, P.O. Box 41882, 1009 DB Amsterdam; §The Netherlands VU University Amsterdam, De Boelelaan 1081, 1081 HV, Amsterdam, The Netherlands.
24. \*The University of Texas at Brownsville and Texas Southmost College, Brownsville, Texas 78520, USA.
25. \*San Jose State University, San Jose, California 95192, USA.
26. \*Moscow State University, Moscow 119992, Russia.
27. †ESPCI, CNRS, F-75005 Paris, France.
28. \*LIGO — Livingston Observatory, Livingston, Louisiana 70754, USA.
29. \*Washington State University, Pullman, Washington 99164, USA.
30. †INFN, \*Sezione di Perugia; §Università di Perugia, I-6123 Perugia; ||Università di Camerino, I-62032, Camerino, Italy.
31. \*University of Oregon, Eugene, Oregon 97403, USA.
32. \*Cardiff University, Cardiff CF24 3AA, UK.
33. \*Syracuse University, Syracuse, New York 13244, USA.
34. \*Rutherford Appleton Laboratory, HSIC, Chilton, Didcot, Oxon OX11 0QX, UK.
35. \*University of Maryland, College Park, Maryland 20742, USA.
36. †Laboratoire d'Annecy-le-Vieux de Physique des Particules (LAPP), IN2P3/CNRS, Université de Savoie, F-74941 Annecy-le-Vieux, France.
37. \*University of Massachusetts — Amherst, Amherst, Massachusetts 01003, USA.
38. †INFN, \*Sezione di Firenze, I-50019 Sesto Fiorentino; §Università degli Studi di Firenze, I-50121, Firenze; ||Università degli Studi di Urbino 'Carlo Bo', I-61029 Urbino, Italy.
39. \*NASA/Goddard Space Flight Center, Greenbelt, Maryland 20771, USA.
40. \*University of Michigan, Ann Arbor, Michigan 48109, USA.
41. \*University of Sannio at Benevento, I-82100 Benevento, Italy.
42. \*The University of Mississippi, University, Mississippi 38677, USA.
43. \*Charles Sturt University, Wagga Wagga, New South Wales 2678, Australia.
44. \*Caltech-CaRT, Pasadena, California 91125, USA.
45. \*Carleton College, Northfield, Minnesota 55057, USA.
46. \*The University of Melbourne, Parkville, Victoria 3010, Australia.
47. †INFN, \*Sezione di Roma Tor Vergata; §Università di Roma Tor Vergata; ||Istituto di Fisica dello Spazio Interplanetario (IFSI) INAF, I-00133 Roma; ¶Università dell'Aquila, I-67100 L'Aquila, Italy.
48. \*Eötvös University, ELTE 1053 Budapest, Hungary.
49. \*University of Salerno, 84084 Fisciano (Salerno), Italy.
50. \*The University of Sheffield, Sheffield S10 2TN, UK.
51. \*The Pennsylvania State University, University Park, Pennsylvania 16802, USA.
52. \*Inter-University Centre for Astronomy and Astrophysics, Pune 411007, India.
53. \*Southern University and A&M College, Baton Rouge, Louisiana 70813, USA.
54. †INFN, \*Gruppo Collegato di Trento and §Università di Trento, I-38050 Povo, Trento, Italy; INFN, ||Sezione di Padova and ¶Università di Padova, I-35131 Padova, Italy.
55. \*California Institute of Technology, Pasadena, California 91125, USA.
56. †Laboratoire des Matériaux Avancés (LMA), IN2P3/CNRS, F-69622 Villeurbanne, Lyon, France.
57. \*University of Rochester, Rochester, New York 14627, USA.
58. \*The University of Texas at Austin, Austin, Texas 78712, USA.
59. \*Australian National University, Canberra 0200, Australia.
60. \*Embry-Riddle Aeronautical University, Prescott, Arizona 86301, USA.
61. \*University of Minnesota, Minneapolis, Minnesota 55455, USA.
62. \*University of Adelaide, Adelaide, South Australia 5005, Australia.
63. \*University of Southampton, Southampton SO17 1BJ, UK.
64. \*Universitat de les Illes Balears, E-07122 Palma de Mallorca, Spain.
65. \*Northwestern University, Evanston, Illinois 60208, USA.
66. \*National Astronomical Observatory of Japan, Tokyo 181-8588, Japan.
67. \*Institute of Applied Physics, Nizhny Novgorod, 603950, Russia.
68. \*University of Strathclyde, Glasgow G1 1XQ, UK.

69. \*Loyola University, New Orleans, Louisiana 70118, USA.  
 70. \*Hobart and William Smith Colleges, Geneva, New York 14456, USA.  
 71. \*Louisiana Tech University, Ruston, Louisiana 71272, USA.  
 72. \*Andrews University, Berrien Springs, Michigan 49104, USA.  
 73. \*Sonoma State University, Rohnert Park, California 94928, USA.  
 74. \*Trinity University, San Antonio, Texas 78212, USA.  
 75. \*Rochester Institute of Technology, Rochester, New York 14623, USA.  
 76. \*Southeastern Louisiana University, Hammond, Louisiana 70402, USA.  
 77. Lists of participants and their affiliations appear at the end of the paper.  
 78. \*The LIGO Scientific Collaboration.  
 79. †The Virgo Collaboration.

Correspondence to: Correspondence and requests for materials should be addressed to V.M. (Email: [mandic@physics.umn.edu](mailto:mandic@physics.umn.edu)).


**A stochastic background of gravitational waves is expected to arise from a superposition of a large number of unresolved gravitational-wave sources of astrophysical and cosmological origin. It should carry unique signatures from the earliest epochs in the evolution of the Universe, inaccessible to standard astrophysical observations<sup>4</sup>. Direct measurements of the amplitude of this background are therefore of fundamental importance for understanding the evolution of the Universe when it was younger than one minute. Here we report limits on the amplitude of the stochastic gravitational-wave background using the data from a two-year science run of the Laser Interferometer Gravitational-wave Observatory<sup>2</sup> (LIGO). Our result constrains the energy density of the stochastic gravitational-wave background normalized by the critical energy density of the Universe, in the frequency band around 100 Hz, to be  $<6.9 \times 10^{-6}$  at 95% confidence. The data rule out models of early Universe evolution with relatively large equation-of-state parameter<sup>3</sup>, as well as cosmic (super)string models with relatively small string tension<sup>4</sup> that are favoured in some string theory models<sup>5</sup>. This search for the stochastic background improves on the indirect limits from Big Bang nucleosynthesis<sup>1, 6</sup> and cosmic microwave background<sup>7</sup> at 100 Hz.**

According to the general theory of relativity, gravitational waves are produced by accelerating mass distributions with a quadrupole (or higher) moment. Moreover, in the early phases of the evolution of the Universe, they can be produced by the mechanism of amplification of vacuum fluctuations. Once produced, gravitational waves travel through space-time at the speed of light, and are essentially unaffected by the matter they encounter. As a result, gravitational waves emitted shortly after the Big Bang (and observed today) would carry unaltered information about the physical processes that generated them. These waves are expected to be generated by a large number of unresolved sources, forming a stochastic gravitational-wave background (SGWB) that is usually described in terms of the gravitational-wave spectrum:

$$\Omega_{\text{GW}}(f) = \frac{f}{\rho_c} \frac{d\rho_{\text{GW}}}{df} \quad (1)$$

where  $d\rho_{\text{GW}}$  is the energy density of gravitational radiation contained in the frequency range  $f$  to  $f + df$  and  $\rho_c$  is the critical energy density of the Universe<sup>8</sup>. Many cosmological mechanisms for generation of the SGWB exist, such as the inflationary models<sup>9, 10</sup>, pre-Big-Bang models<sup>11, 12, 13</sup>, electroweak phase transition<sup>14</sup>, and cosmic strings<sup>4, 5, 15, 16</sup>. There are also astrophysical mechanisms, such as magnetars<sup>17</sup> or rotating neutron stars<sup>18</sup>.

The physical manifestation of gravitational waves consists of stretching and compressing the spatial dimensions orthogonal to the direction of wave propagation, producing strain in an oscillating quadrupolar pattern. A Michelson interferometer with suspended mirrors<sup>2</sup> is well suited to measure this differential strain signal due to gravitational waves. Over the past decade, LIGO has built three such multi-kilometre interferometers, at two locations<sup>2</sup>: H1 (4 km) and H2 (2 km) share the same facility at Hanford, Washington, USA, and L1 (4 km) is located in Livingston Parish, Louisiana, USA. LIGO, together with the 3 km interferometer Virgo<sup>19</sup> in Italy and GEO<sup>20</sup> in Germany, forms a network of gravitational-wave observatories. LIGO has completed science run S5 (between 5 November 2005 and 30 September 2007), acquiring one year of data coincident among H1, H2 and L1, at the interferometer design sensitivities (**Fig. 1**).



**Figure 1: Sensitivities of LIGO interferometers.**

LIGO interferometers reached their design sensitivity in November 2005, resulting in interferometer strain noise at the level of  $3 \times 10^{-22}$  r.m.s. in a 100 Hz band around 100 Hz. This figure shows typical strain sensitivities of LIGO interferometers during the subsequent science run S5. Also shown is the strain amplitude corresponding to the upper limit on the gravitational-wave energy density presented in this paper (grey dashed line). Note that this upper limit is  $\sim 100$  times lower than the individual interferometer sensitivities, which illustrates the advantage of using the cross-correlation technique in this analysis.

[High resolution image and legend \(150K\)](#)

[Download PowerPoint slide \(531K\)](#)

Slides may be downloaded for educational use, according to the terms described in [Nature Publishing Group's licensing policy](#).


The search for the SGWB using LIGO data is performed by cross-correlating strain data from pairs of interferometers<sup>9</sup>. In the frequency ( $f$ ) domain, the cross-correlation between two interferometers is multiplied by a filter function  $\tilde{Q}(f)$  (**Supplementary Information**):

$$\tilde{Q}(f) = N \frac{\gamma(f) \Omega_{\text{GW}}(f) H_0^2}{f^3 P_1(f) P_2(f)} \quad (2)$$

This filter optimizes the signal-to-noise ratio, enhancing the frequencies at which the signal of the template gravitational-wave spectrum  $\Omega_{\text{GW}}(f)$  is strong, while suppressing the frequencies at which the detector noise ( $P_1(f)$  and  $P_2(f)$ ) is large. In equation (2), and throughout this Letter, we assume the present value of the Hubble parameter  $H_0 = 72 \text{ km s}^{-1} \text{ Mpc}^{-1}$  (ref. [21](#)), and use  $\gamma(f)$  to denote the overlap reduction

function<sup>8</sup>, arising from the overlap of antenna patterns of interferometers at different locations and with different orientations. For the H1–L1 and H2–L1 pairs, the sensitivity above roughly 50 Hz is attenuated due to the overlap reduction. As most theoretical models in the LIGO frequency band are characterized by a power-law spectrum, we assume a power-law template gravitational-wave spectrum with index  $\alpha$ :  $\Omega_{\text{GW}}(f) = \Omega_{\alpha}(f/100 \text{ Hz})^{\alpha}$ . The normalization constant  $N$  in equation (2) is chosen such that the expected value of the optimally filtered cross-correlation is  $\Omega_{\alpha}$ .

We apply the above search technique to the data acquired by LIGO during the science run S5. We include two interferometer pairs: H1–L1 and H2–L1. Summing up the contributions to the cross-correlation in the frequency band 41.5–169.25 Hz, which contains 99% of the sensitivity, leads to the final point estimate for the frequency independent gravitational-wave spectrum ( $\alpha = 0$ ):  $\Omega_0 = (2.1 \pm 2.7) \times 10^{-6}$ , where the quoted error is statistical. We calculate the Bayesian 95% confidence upper limit for  $\Omega_0$ , using the previous LIGO result (S4 run<sup>22</sup>) as a prior for  $\Omega_0$  and averaging over the interferometer calibration uncertainty. This procedure yields the 95% confidence upper limit  $\Omega_0 < 6.9 \times 10^{-6}$ . For other values of the power index  $\alpha$  in the range between -3 and 3, the 95% upper limit varies between  $1.9 \times 10^{-6}$  and  $7.1 \times 10^{-6}$ . These results constitute more than an order of magnitude improvement over the previous LIGO result in this frequency region<sup>22</sup>. **Figure 2** shows this result in comparison with other observational constraints and some of the cosmological SGWB models.




Before the result described here, the most constraining bounds on the SGWB in the frequency band around 100 Hz came from the Big Bang nucleosynthesis (BBN) and from cosmic microwave background (CMB) measurements. The BBN bound is derived from the fact that a large gravitational-wave energy density at the time of BBN would alter the abundances of the light nuclei produced in the process. Hence, the BBN model and observations constrain the total gravitational-wave energy density at the time of nucleosynthesis<sup>1, 6</sup>:

$$\Omega_{\text{BBN}} = \int \Omega_{\text{GW}}(f) d(\ln f) < 1.1 \times 10^{-5} (N_{\nu} - 3) \quad (3)$$

where  $N_{\nu}$  (the effective number of neutrino species at the time of BBN) captures the uncertainty in the radiation content during BBN. Measurements of the light-element abundances, combined with the Wilkinson Microwave Anisotropy Probe (WMAP) data give the upper bound  $N_{\nu} - 3 < 1.4$  (ref. <sup>23</sup>). Similarly, a large gravitational-wave background at the time of decoupling of CMB would alter the observed CMB and matter power spectra. Assuming homogeneous initial conditions, the total gravitational-wave energy density at the time of CMB decoupling is constrained to  $\int \Omega_{\text{GW}}(f) d(\ln f) < 1.3 \times 10^{-5}$  (ref. <sup>7</sup>). In the LIGO frequency band and for  $\alpha = 0$ , these bounds become:  $\Omega_0^{\text{BBN}} < 1.1 \times 10^{-5}$  and  $\Omega_0^{\text{CMB}} < 9.5 \times 10^{-6}$ . Our result has now surpassed these bounds, which is one of the major milestones that LIGO was designed to achieve. Moreover, the BBN and CMB bounds apply only to backgrounds generated before the BBN and the CMB decoupling, respectively, while the LIGO bound also probes the SGWB produced later (this is the case, for example, in models involving cosmic strings).

Our result also constrains models of early Universe evolution. Although the evolution of the Universe following the BBN is well understood, there is little observational data probing the evolution before BBN, when the Universe was less than one minute old. The gravitational-wave spectrum  $\Omega_{\text{GW}}(f)$  carries information about exactly this epoch in the evolution. In particular, measuring  $\Omega_{\text{GW}}(f)$  is the best way to test for the existence of currently unknown 'stiff' energy components in the early Universe<sup>3</sup>, for which a small density variation is associated with a large pressure change, which could carry information about the physics of the inflationary era<sup>24</sup>. **Figure 3** demonstrates how the result presented here can be used to constrain the existence of these new energy components.




bound on the equation-of-state parameter of  $\hat{\mathcal{W}}$  (100 Hz)  $< 0.59$ .

[High resolution image and legend \(118K\)](#)

[Download PowerPoint slide \(499K\)](#)

Slides may be downloaded for educational use, according to the terms described in [Nature Publishing Group's licensing policy](#).

Our result also constrains models of cosmic (super)strings. Cosmic strings were originally proposed as topological defects formed during phase transitions in the early Universe<sup>15</sup>. More recently, it was realized that fundamental strings may also be expanded to cosmological scales<sup>5</sup>. Hence, searching for cosmic strings may provide a unique and powerful window into string theory and into particle physics at the highest energy scales. **Figure 4** shows that our result, along with other observations, can be used to constrain the parameters in the cosmic string models. Whereas our result is currently excluding a fraction of the allowed parameter space, Advanced LIGO<sup>25</sup> is expected to probe most of these models.



**Figure 4: Models involving cosmic strings.**


The network of cosmic strings is usually parametrized by the string tension  $\mu$  (multiplied by the Newton constant  $G$ ), and reconnection probability  $p$ . The CMB observations limit  $G\mu < 10^{-6}$ . If the size of the cosmic string loops is determined by the gravitational back-reaction<sup>29</sup>, the size of the loop can be parametrized by a parameter  $\epsilon$  (ref. 16), which is essentially unconstrained. The mechanism for production of gravitational waves relies on cosmic string cusps: regions of string that move at speeds close to the speed of light. If the cusp motion points towards Earth, a detectable burst of gravitational radiation may be produced<sup>16,30</sup>. The superposition of gravitational waves from all string cusps in the cosmic string network would produce a SGWB<sup>4</sup>. This figure shows how different experiments probe the  $\epsilon - G\mu$  plane for a typical value of  $p = 10^{-3}$  (ref. 4) ( $p$  is expected to be in the range  $10^{-4}-1$ ). The excluded regions (always to the right of the corresponding curves) correspond to the S4 LIGO result<sup>22</sup>, this result, the BBN bound<sup>6,23</sup>, the CMB bound<sup>7</sup>, and the pulsar limit<sup>27</sup>. In particular, the bound presented in this paper excludes a new region in this plane ( $7 \times 10^{-9} < G\mu < 1.5 \times 10^{-7}$  and  $\epsilon < 8 \times 10^{-11}$ ), which is not accessible to any of the other measurements. Also shown is the expected sensitivity for the search for individual bursts from cosmic string cusps with LIGO S5 data<sup>30</sup>. The region to the right of this curve is expected to produce at least one cosmic string burst event detectable by LIGO during the S5 run. Note that this search is complementary to the search for the SGWB as it probes a different part of the parameter space. Also shown is the region that will be probed by the Planck satellite measurements of the CMB<sup>7</sup>. The entire plane shown here will be accessible to Advanced LIGO<sup>25</sup> SGWB search.

[High resolution image and legend \(103K\)](#)

[Download PowerPoint slide \(484K\)](#)

Slides may be downloaded for educational use, according to the terms described in [Nature Publishing Group's licensing policy](#).

Measurements of the SGWB also offer the possibility of probing alternative models of early Universe cosmology. For example, in the pre-Big-Bang model<sup>11, 12, 13</sup> the Universe starts off large and then undergoes a period of inflation driven by the kinetic energy of a dilaton field, after which the standard cosmology follows. Although more speculative than the standard cosmology model, the pre-Big-Bang model makes testable predictions of the gravitational-wave spectrum. As shown in **Fig. 5**, the BBN and CMB bounds are currently the most constraining for this model and Advanced LIGO<sup>25</sup> is expected to surpass them.



**Figure 5: Pre-Big-Bang models.**

In the pre-Big-Bang model, the gravitational waves are produced through the mechanism of amplification of vacuum fluctuations, analogously to the standard inflationary model. The typical gravitational-wave spectrum increases as  $f^3$  up to a turn-over frequency  $f_s$ , above which  $\Omega_{\text{GW}}(f) \propto f^{3-2\mu}$  with  $\mu < 1.5$ . The spectrum cuts off at a frequency  $f_1$ , which is theoretically expected to be within a factor of 10 from  $4.3 \times 10^{10}$  Hz (dashed horizontal line). This figure shows the  $f_1 - \mu$  plane for a representative value of  $f_s = 30$  Hz. Excluded regions corresponding to the S4 result and to the result presented here are shaded. The regions excluded by the BBN<sup>6,23</sup> and the CMB<sup>7</sup> bounds are above the corresponding curves. The expected reaches of the Advanced LIGO<sup>25</sup> and of the Planck satellite<sup>7</sup> are also shown.

[High resolution image and legend \(83K\)](#)

[Download PowerPoint slide \(464K\)](#)

Slides may be downloaded for educational use, according to the terms described in [Nature Publishing Group's licensing policy](#).

## References

1. Maggiore, M. Gravitational wave experiments and early universe cosmology. *Phys. Rep.* **331**, 283–367 (2000) | [Article](#)
2. Abbott, B. *et al.* Detector description and performance for the first coincidence observations between LIGO and GEO. *Nucl. Instrum. Meth. A* **517**, 154–179 (2004) | [Article](#) | [ChemPort](#) |
3. Boyle, L. & Buonanno, A. Relating gravitational wave constraints from primordial nucleosynthesis, pulsar timing, laser interferometers, and the CMB: implications for the early universe. *Phys. Rev. D* **78**, 043531 (2008) | [Article](#) | [ChemPort](#) |
4. Siemens, X., Mandic, V. & Creighton, J. Gravitational-wave stochastic background from cosmic strings. *Phys. Rev. Lett.* **98**, 111101

- (2007) | [Article](#) | [PubMed](#) | [ChemPort](#) |
5. Sarangi, S. & Tye, S. H. H. Cosmic string production towards the end of brane inflation. *Phys. Lett. B* **536**, 185–192 (2002) | [Article](#) | [ChemPort](#) |
  6. Allen, B. The stochastic gravity-wave background: sources and detection. Preprint at <<http://arXiv.org/abs/grqc/9604033>> (1996)
  7. Smith, T. L., Pierpaoli, E. & Kamionkowski, M. A new cosmic microwave background constraint to primordial gravitational waves. *Phys. Rev. Lett.* **97**, 021301 (2006) | [Article](#) | [PubMed](#) | [ChemPort](#) |
  8. Allen, B. & Romano, J. Detecting a stochastic background of gravitational radiation: signal processing strategies and sensitivities. *Phys. Rev. D* **59**, 102001 (1999) | [Article](#)
  9. Starobinski, A. A. Spectrum of relic gravitational radiation and the early state of the universe. *JETP Lett.* **30**, 682–685 (1979) | [ISI](#) |
  10. Bar-Kana, R. Limits on direct detection of gravitational waves. *Phys. Rev. D* **50**, 1157–1162 (1994) | [Article](#)
  11. Brustein, R. *et al.* Relic gravitational waves from string cosmology. *Phys. Lett. B* **361**, 45–51 (1995) | [Article](#) | [ChemPort](#) |
  12. Buonanno, A. *et al.* Spectrum of relic gravitational waves in string cosmology. *Phys. Rev. D* **55**, 3330–3336 (1997) | [Article](#) | [ChemPort](#) |
  13. Mandic, V. & Buonanno, A. Accessibility of the pre-big-bang models to LIGO. *Phys. Rev. D* **73**, 063008 (2006) | [Article](#) | [ChemPort](#) |
  14. Apreda, R. *et al.* Gravitational waves from electroweak phase transitions. *Nucl. Phys. B* **631**, 342–368 (2002) | [Article](#)
  15. Kibble, T. W. B. Topology of cosmic domains and strings. *J. Phys. A* **9**, 1387–1398 (1976) | [Article](#) | [ISI](#)
  16. Damour, T. & Vilenkin, A. Gravitational radiation from cosmic (super)strings: bursts, stochastic background, and observational windows. *Phys. Rev. D* **71**, 063510 (2005) | [Article](#) | [ChemPort](#) |
  17. Regimbau, T. & de Freitas Pacheco, J. A. Gravitational wave background from magnetars. *Astron. Astrophys.* **447**, 1–8 (2006) | [Article](#)
  18. Regimbau, T. & de Freitas Pacheco, J. A. Cosmic background of gravitational waves from rotating neutron stars. *Astron. Astrophys.* **376**, 381–385 (2001) | [Article](#)
  19. Acernese, F. *et al.* Status of Virgo. *Class. Quant. Grav.* **25**, 114045 (2008) | [Article](#)
  20. Willke, B. *et al.* The GEO-HF project. *Class. Quant. Grav.* **23**, S207–S214 (2006) | [Article](#)
  21. Bennet, C. L. *et al.* First-year Wilkinson Microwave Anisotropy Probe (WMAP) observations: preliminary maps and basic results. *Astrophys. J.* **148** (Suppl.), 1–28 (2003) | [Article](#)
  22. Abbott, B. *et al.* Searching for a stochastic background of gravitational waves with the Laser Interferometer Gravitational-Wave Observatory. *Astrophys. J.* **659**, 918–930 (2007) | [Article](#) | [ChemPort](#) |
  23. Cyburt, R. H. *et al.* New BBN limits on physics beyond the standard model from  $^4\text{He}$ . *Astropart. Phys.* **23**, 313–323 (2005) | [Article](#)
  24. Grishchuk, L. P. & Sidorov, Yu. V. Squeezed quantum states of relic gravitons and primordial density fluctuations. *Phys. Rev. D* **42**, 3413–3421 (1990) | [Article](#) | [ChemPort](#) |
  25. Advanced LIGO Team. Advanced LIGO reference design. LIGO preprint at <<http://www.ligo.caltech.edu/docs/M/Mo60056-10.pdf>> (2007)
  26. Bender, P. L. & Danzmann, K. & the LISA study team. *Laser Interferometer Space Antenna for the Detection and Observation of Gravitational Waves: Pre-Phase A Report* 2nd edn (MPQ233, Max-Planck Institut für Quantenoptik, 1998)
  27. Jenet, F. A. *et al.* Upper bounds on the low-frequency stochastic gravitational wave background from pulsar timing observations: current limits and future prospects. *Astrophys. J.* **653**, 1571–1576 (2006) | [Article](#)
  28. Komatsu, E. *et al.* Five-year Wilkinson Microwave Anisotropy Probe (WMAP) observations: cosmological interpretation. *Astrophys. J.* **180** (Suppl.), 330–376 (2009) | [Article](#)
  29. Siemens, X. *et al.* Size of the smallest scales in cosmic string networks. *Phys. Rev. D* **66**, 043501 (2002) | [Article](#) | [ChemPort](#) |
  30. Siemens, X. *et al.* Gravitational wave bursts from cosmic (super)strings: quantitative analysis and constraints. *Phys. Rev. D* **73**, 105001 (2006) | [Article](#) | [ChemPort](#) |

## Supplementary Information

[Supplementary information](#) accompanies this paper.

## Acknowledgements

We acknowledge the support of the United States National Science Foundation for the construction and operation of the LIGO Laboratory, the Science and Technology Facilities Council of the United Kingdom, the Max Planck Society, and the State of Niedersachsen/Germany for support of the construction and operation of the GEO600 detector, and the Italian Istituto Nazionale di Fisica Nucleare and the French Centre National de la Recherche Scientifique for the construction and operation of the Virgo detector. We also acknowledge the support of the research by these agencies and by the Australian Research Council, the Council of Scientific and Industrial Research of India, the Istituto Nazionale di Fisica Nucleare of Italy, the Spanish Ministerio de Educacion y Ciencia, the Conselleria d'Economia Hisenda i Innovacio of the Govern de les Illes Balears, the Royal Society, the Scottish Funding Council, the Scottish Universities Physics Alliance, The National Aeronautics and Space Administration, the Carnegie Trust, the Leverhulme Trust, the David and Lucile Packard Foundation, the Research Corporation, and the Alfred P. Sloan Foundation.

**Author Contributions** are listed in [Supplementary Information](#).

### The LIGO Scientific Collaboration & The Virgo Collaboration

B. P. Abbott<sup>1</sup>, R. Abbott<sup>1</sup>, F. Acernese<sup>2</sup>, R. Adhikari<sup>1</sup>, P. Ajith<sup>3</sup>, B. Allen<sup>3,4</sup>, G. Allen<sup>5</sup>, M. Alshourbagy<sup>6</sup>, R. S. Amin<sup>7</sup>, S. B. Anderson<sup>1</sup>, W. G. Anderson<sup>4</sup>, F. Antonucci<sup>8</sup>, S. Aoudia<sup>9</sup>, M. A. Arain<sup>10</sup>, M. Araya<sup>1</sup>, H. Armandula<sup>1</sup>, P. Armor<sup>4</sup>, K. G. Arun<sup>11</sup>, Y. Aso<sup>1</sup>, S. Aston<sup>12</sup>, P. Astone<sup>8</sup>, P. Aufmuth<sup>13</sup>, C. Aulbert<sup>3</sup>, S. Babak<sup>14</sup>, P. Baker<sup>15</sup>, G. Ballardin<sup>16</sup>, S. Ballmer<sup>1</sup>, C. Barker<sup>17</sup>, D. Barker<sup>17</sup>, F. Barone<sup>2</sup>, B. Barr<sup>18</sup>, P. Barriga<sup>19</sup>, L. Barsotti<sup>20</sup>, M. Barsuglia<sup>21</sup>, M. A. Barton<sup>1</sup>, I. Bartos<sup>22</sup>, R. Bassiri<sup>18</sup>, M. Bastarrika<sup>18</sup>, Th. S. Bauer<sup>23</sup>, B. Behnke<sup>14</sup>, M. Beker<sup>23</sup>, M. Benacquista<sup>24</sup>, J. Betzwieser<sup>1</sup>, P. T. Beyersdorff<sup>25</sup>, S. Bigotta<sup>6</sup>, I. A. Bilenko<sup>26</sup>, G. Billingsley<sup>1</sup>, S. Birindelli<sup>9</sup>, R. Biswas<sup>4</sup>, M. A. Bizouard<sup>11</sup>, E. Black<sup>1</sup>, J. K. Blackburn<sup>1</sup>, L. Blackburn<sup>20</sup>, D. Blair<sup>19</sup>, B. Bland<sup>17</sup>, C. Boccara<sup>27</sup>, T. P. Bodiya<sup>20</sup>, L. Bogue<sup>28</sup>, F. Bondu<sup>9</sup>, L. Bonelli<sup>6</sup>, R. Bork<sup>1</sup>, V. Boschi<sup>1</sup>, S. Bose<sup>29</sup>, L. Bosi<sup>30</sup>, S. Braccini<sup>6</sup>, C. Bradaschia<sup>6</sup>, P. R. Brady<sup>4</sup>, V. B. Braginsky<sup>26</sup>, J. F. J. van den Brand<sup>23</sup>, J. E. Brau<sup>31</sup>, D. O. Bridges<sup>28</sup>, A. Brillet<sup>9</sup>, M. Brinkmann<sup>3</sup>, V. Brisson<sup>11</sup>, C. Van Den Broeck<sup>32</sup>, A. F. Brooks<sup>1</sup>, D. A. Brown<sup>33</sup>, A. Brummit<sup>34</sup>, G. Brunet<sup>20</sup>, A. Bullington<sup>5</sup>, H. J. Bulten<sup>23</sup>, A. Buonanno<sup>35</sup>, O. Burmeister<sup>3</sup>, D. Buskulic<sup>36</sup>, R. L. Byer<sup>5</sup>, L. Cadonati<sup>37</sup>, G. Cagnoli<sup>38</sup>, E. Calloni<sup>2</sup>, J. B. Camp<sup>39</sup>, E. Campagna<sup>2</sup>, J. Cannizzo<sup>39</sup>, K. C. Cannon<sup>1</sup>, B. Canuel<sup>16</sup>, J. Cao<sup>20</sup>, F. Carbognani<sup>16</sup>, L. Cardenas<sup>1</sup>, S. Caride<sup>40</sup>, G. Castaldi<sup>41</sup>, S. Caudill<sup>7</sup>, M. Cavaglia<sup>42</sup>, F. Cavalier<sup>11</sup>, R. Cavalieri<sup>16</sup>, G. Cella<sup>6</sup>, C. Cepeda<sup>1</sup>, E. Cesarini<sup>2</sup>, T. Chalermongsak<sup>1</sup>, E. Chalkley<sup>18</sup>, P. Charlton<sup>43</sup>, E. Chassande-Mottin<sup>21</sup>, S. Chatterji<sup>1,8</sup>, S. Chelkowski<sup>12</sup>, Y. Chen<sup>14,44</sup>, N. Christensen<sup>45</sup>, C. T. Y. Chung<sup>46</sup>, D. Clark<sup>5</sup>, J. Clark<sup>32</sup>, J. H. Clayton<sup>4</sup>, F. Cleva<sup>9</sup>, E. Coccia<sup>47</sup>, T. Cokelaer<sup>32</sup>, C. N. Colacino<sup>48</sup>, J. Colas<sup>16</sup>, A. Colla<sup>8</sup>, M. Colombini<sup>8</sup>, R. Conte<sup>49</sup>, D. Cook<sup>17</sup>, T. R. C. Corbitt<sup>20</sup>, C. Corda<sup>6</sup>, N. Cornish<sup>15</sup>, A. Corsi<sup>8</sup>, J.-P. Coulon<sup>9</sup>, D. Coward<sup>19</sup>, D. C. Coyne<sup>1</sup>, J. D. E. Creighton<sup>4</sup>, T. D. Creighton<sup>24</sup>, A. M. Cruise<sup>12</sup>, R. M. Culter<sup>12</sup>, A. Cumming<sup>18</sup>, L. Cunningham<sup>18</sup>, E. Cuoco<sup>16</sup>, S. L. Danilishin<sup>26</sup>, S. D'Antonio<sup>47</sup>, K. Danzmann<sup>3,13</sup>, A. Dari<sup>30</sup>, V. Dattilo<sup>16</sup>, B. Daudert<sup>1</sup>, M. Davier<sup>11</sup>, G. Davies<sup>32</sup>, E. J. Daw<sup>50</sup>, R. Day<sup>16</sup>, R. De Rosa<sup>2</sup>, D. DeBra<sup>5</sup>, J. Degallaix<sup>3</sup>, M. del Prete<sup>6</sup>, V. Dergachev<sup>40</sup>, S. Desai<sup>51</sup>, R. DeSalvo<sup>1</sup>, S. Dhurandhar<sup>52</sup>, L. Di Fiore<sup>2</sup>, A. Di Lieto<sup>6</sup>, M. Di Paolo Emilio<sup>47</sup>, A. Di Virgilio<sup>6</sup>, M. Díaz<sup>24</sup>, A. Dietz<sup>32</sup>, F. Donovan<sup>20</sup>, K. L. Dooley<sup>10</sup>, E. E. Doomes<sup>53</sup>, M. Drago<sup>54</sup>, R. W. P. Drever<sup>55</sup>, J. Dueck<sup>3</sup>, I. Duke<sup>20</sup>, J.-C. Dumas<sup>19</sup>, J. G. Dwyer<sup>22</sup>, C. Echols<sup>1</sup>, M. Edgar<sup>18</sup>, A. Effler<sup>17</sup>, P. Ehrens<sup>1</sup>, G. Ely<sup>45</sup>, E. Espinoza<sup>1</sup>, T. Etzel<sup>1</sup>, M. Evans<sup>20</sup>, T. Evans<sup>28</sup>, V. Fafone<sup>47</sup>, S. Fairhurst<sup>32</sup>, Y. Faltas<sup>10</sup>, Y. Fan<sup>19</sup>, D. Fazi<sup>1</sup>, H. Fehrmann<sup>3</sup>, I. Ferrante<sup>6</sup>, F. Fidecaro<sup>6</sup>, L. S. Finn<sup>51</sup>, I. Fiori<sup>16</sup>, R. Flaminio<sup>56</sup>, K. Flasch<sup>4</sup>, S. Foley<sup>20</sup>, C. Forrest<sup>57</sup>, N. Fotopoulos<sup>4</sup>, J.-D. Fournier<sup>9</sup>, J. Franc<sup>56</sup>, A. Franzen<sup>13</sup>, S. Frasca<sup>8</sup>, F. Frasconi<sup>16</sup>, M. Frede<sup>3</sup>, M. Frei<sup>58</sup>, Z. Frei<sup>48</sup>, A. Freise<sup>12</sup>, R. Frey<sup>31</sup>, T. Fricke<sup>28</sup>, P. Fritschel<sup>20</sup>, V. V. Frolov<sup>28</sup>, M. Fyffe<sup>28</sup>, V. Galdi<sup>41</sup>, L. Gammaitoni<sup>30</sup>, J. A. Garofoli<sup>33</sup>, F. Garufi<sup>2</sup>, E. Genin<sup>16</sup>, A. Gennai<sup>6</sup>, I. Gholami<sup>14</sup>, J. A. Giaime<sup>7,28</sup>, S. Giampanis<sup>3</sup>, K. D. Giardina<sup>28</sup>, A. Giazotto<sup>6</sup>, K. Goda<sup>20</sup>, E. Goetz<sup>40</sup>, L. M. Goggin<sup>4</sup>, G. González<sup>7</sup>, M. L. Gorodetsky<sup>26</sup>, S. Goßler<sup>3</sup>, R. Gouaty<sup>7</sup>, M. Granata<sup>21</sup>, V. Granata<sup>36</sup>, A. Grant<sup>18</sup>, S. Gras<sup>19</sup>, C. Gray<sup>17</sup>, M. Gray<sup>59</sup>, R. J. S. Greenhalgh<sup>34</sup>, A. M. Gretarsson<sup>60</sup>, C. Greverie<sup>9</sup>, F. Grimaldi<sup>20</sup>, R. Grosso<sup>24</sup>, H. Grote<sup>3</sup>, S. Grunewald<sup>14</sup>, M. Guenther<sup>17</sup>, G. Guidi<sup>2</sup>, E. K. Gustafson<sup>1</sup>, R. Gustafson<sup>40</sup>, B. Hage<sup>13</sup>, J. M. Hallam<sup>12</sup>, D. Hammer<sup>4</sup>, G. D. Hammond<sup>18</sup>, C. Hanna<sup>1</sup>, J. Hanson<sup>28</sup>, J. Harms<sup>61</sup>, G. M. Harry<sup>20</sup>, I. W. Harry<sup>32</sup>, E. D. Harstad<sup>31</sup>, K. Haughian<sup>18</sup>, K. Hayama<sup>24</sup>, J. Heefner<sup>1</sup>, H. Heitmann<sup>9</sup>, P. Hello<sup>11</sup>, I. S. Heng<sup>18</sup>, A. Heptonstall<sup>1</sup>, M. Hewitson<sup>3</sup>, S. Hild<sup>12</sup>, E. Hirose<sup>33</sup>, D. Hoak<sup>28</sup>, K. A. Hodge<sup>1</sup>, K. Holt<sup>28</sup>, D. J. Hosken<sup>62</sup>, J. Hough<sup>18</sup>, D. Hoyland<sup>19</sup>, D. Huet<sup>16</sup>, B. Hughey<sup>20</sup>, S. H. Huttner<sup>18</sup>, D. R. Ingram<sup>17</sup>, T. Isogai<sup>45</sup>, M. Ito<sup>31</sup>, A. Ivanov<sup>1</sup>, B. Johnson<sup>17</sup>, W. W. Johnson<sup>7</sup>, D. I. Jones<sup>63</sup>, G. Jones<sup>32</sup>, R. Jones<sup>18</sup>, L. Sancho de la Jordana<sup>64</sup>, L. Ju<sup>19</sup>, P. Kalmus<sup>1</sup>, V. Kalogera<sup>65</sup>, S. Kandhasamy<sup>61</sup>, J. Kanner<sup>35</sup>, D. Kasprzyk<sup>12</sup>, E. Katsavounidis<sup>20</sup>, K. Kawabe<sup>17</sup>, S. Kawamura<sup>66</sup>, F. Kawazoe<sup>3</sup>, W. Kells<sup>1</sup>, D. G. Keppel<sup>1</sup>, A. Khalaidovski<sup>3</sup>, F. Y. Khalili<sup>26</sup>, R. Khan<sup>22</sup>, E. Khazanov<sup>67</sup>, P. King<sup>1</sup>, J. S. Kissel<sup>7</sup>, S. Klimenko<sup>10</sup>, K. Kokeyama<sup>66</sup>, V. Kondrashov<sup>1</sup>, R. Koppapu<sup>51</sup>, S. Koranda<sup>4</sup>, D. Kozak<sup>1</sup>, B. Krishnan<sup>14</sup>, R. Kumar<sup>18</sup>, P. Kwee<sup>13</sup>, P. La Penna<sup>16</sup>, P. K. Lam<sup>59</sup>, M. Landry<sup>17</sup>, B. Lantz<sup>5</sup>, M. Laval<sup>9</sup>, A. Lazzarini<sup>1</sup>, H. Lei<sup>24</sup>, M. Lei<sup>1</sup>, N. Leindecker<sup>5</sup>, I. Leonor<sup>31</sup>, N. Leroy<sup>11</sup>, N. Letendre<sup>36</sup>, C. Li<sup>44</sup>, H. Lin<sup>10</sup>, P. E. Lindquist<sup>1</sup>, T. B. Littenberg<sup>15</sup>, N. A. Lockerbie<sup>68</sup>, D. Lodhia<sup>12</sup>, M. Longo<sup>41</sup>, M. Lorenzini<sup>38</sup>, V. Loriette<sup>27</sup>, M. Lormand<sup>28</sup>, G. Losurdo<sup>38</sup>, P. Lu<sup>5</sup>, M. Lubinski<sup>17</sup>, A. Lucianetti<sup>10</sup>, H. Lück<sup>3,13</sup>, B. Machenschalk<sup>14</sup>, M. MacInnis<sup>20</sup>, J.-M. Mackowski<sup>56</sup>, M. Mageswaran<sup>1</sup>, K. Mailand<sup>1</sup>, E. Majorana<sup>8</sup>, N. Man<sup>9</sup>, I. Mandel<sup>65</sup>, V. Mandic<sup>61</sup>, M. Mantovani<sup>6</sup>, F. Marchesoni<sup>30</sup>, F. Marion<sup>36</sup>, S. Márka<sup>22</sup>, Z. Márka<sup>22</sup>, A. Markosyan<sup>5</sup>, J. Markowitz<sup>20</sup>, E. Maros<sup>1</sup>, J. Marque<sup>16</sup>, F. Martelli<sup>38</sup>, I. W. Martin<sup>18</sup>, R. M. Martin<sup>10</sup>, J. N. Marx<sup>1</sup>, K. Mason<sup>20</sup>, A. Masserot<sup>36</sup>, F. Matichard<sup>7</sup>, L. Matone<sup>22</sup>, R. A. Matzner<sup>58</sup>, N. Mavalvala<sup>20</sup>, R. McCarthy<sup>17</sup>, D. E. McClelland<sup>59</sup>, S. C. McGuire<sup>53</sup>, M. McHugh<sup>69</sup>, G. McIntyre<sup>1</sup>, D. J. A. McKechnan<sup>32</sup>, K. McKenzie<sup>59</sup>, M. Mehmet<sup>3</sup>, A. Melatos<sup>46</sup>, A. C. Melissinos<sup>57</sup>, G. Mendell<sup>17</sup>, D. F. Menéndez<sup>51</sup>, F. Menzinger<sup>16</sup>, R. A. Mercer<sup>4</sup>, S. Meshkov<sup>1</sup>, C. Messenger<sup>3</sup>, M. S. Meyer<sup>28</sup>, C. Michel<sup>56</sup>, L. Milano<sup>2</sup>, J. Miller<sup>18</sup>, J. Minelli<sup>51</sup>, Y. Minenkova<sup>47</sup>, Y. Mino<sup>44</sup>, V. P. Mitrofanov<sup>26</sup>, G. Mitselmakher<sup>10</sup>, R. Mittleman<sup>20</sup>, O. Miyakawa<sup>1</sup>, B. Moe<sup>4</sup>, M. Mohan<sup>16</sup>, S. D. Mohanty<sup>24</sup>, S. R. P. Mohapatra<sup>37</sup>, J. Moreau<sup>27</sup>, G. Moreno<sup>17</sup>, N. Morgado<sup>56</sup>, A. Morgia<sup>47</sup>, T. Morioka<sup>66</sup>, K. Mors<sup>3</sup>, S. Mosca<sup>2</sup>, K. Mossavi<sup>3</sup>, B. Mours<sup>36</sup>, C. MowLowry<sup>59</sup>, G. Mueller<sup>10</sup>, D. Muhammad<sup>28</sup>, H. zur Mühlen<sup>13</sup>, S. Mukherjee<sup>24</sup>, H. Mukhopadhyay<sup>52</sup>, A. Mullavey<sup>59</sup>, H. Müller-Ebhardt<sup>3</sup>, J. Munch<sup>62</sup>, P. G. Murray<sup>18</sup>, E. Myers<sup>17</sup>, J. Myers<sup>17</sup>, T. Nash<sup>1</sup>, J. Nelson<sup>18</sup>, I. Neri<sup>30</sup>, G. Newton<sup>18</sup>, A. Nishizawa<sup>66</sup>, F. Nocera<sup>16</sup>, K. Numata<sup>39</sup>, E. Ochsner<sup>35</sup>, J. O'Dell<sup>34</sup>, G. H. Ogin<sup>1</sup>, B. O'Reilly<sup>28</sup>, R. O'Shaughnessy<sup>51</sup>, D. J. Ottaway<sup>62</sup>, R. S. Ottens<sup>10</sup>, H. Overmire<sup>28</sup>, B. J. Owen<sup>51</sup>, G. Pagliaroli<sup>47</sup>, C. Palomba<sup>8</sup>, Y. Pan<sup>35</sup>, C. Pankow<sup>10</sup>, F. Paoletti<sup>6,16</sup>, M. A. Papa<sup>4,14</sup>, V. Parameshwaraiah<sup>17</sup>, S. Pardi<sup>2</sup>, A.

Pasqualetti<sup>16</sup>, R. Passaquietti<sup>§6</sup>, D. Passuello<sup>6</sup>, P. Patel<sup>1</sup>, M. Pedraza<sup>1</sup>, S. Penn<sup>70</sup>, A. Perreca<sup>12</sup>, G. Persichetti<sup>§2</sup>, M. Pichot<sup>9</sup>, F. Piergiovanni<sup>‡||38</sup>, V. Pierro<sup>41</sup>, L. Pinard<sup>56</sup>, I. M. Pinto<sup>41</sup>, M. Pitkin<sup>18</sup>, H. J. Pletsch<sup>3</sup>, M. V. Plissi<sup>18</sup>, R. Poggiani<sup>§6</sup>, F. Postiglione<sup>49</sup>, M. Principe<sup>41</sup>, R. Prix<sup>3</sup>, G.A. Prodi<sup>§54</sup>, L. Prokhorov<sup>26</sup>, O. Punken<sup>3</sup>, M. Punturo<sup>30</sup>, P. Puppò<sup>8</sup>, S. van der Putten<sup>23</sup>, V. Quetschke<sup>10</sup>, F. J. Raab<sup>17</sup>, O. Rabaste<sup>21</sup>, D. S. Rabeling<sup>§23</sup>, H. Radkins<sup>17</sup>, P. Raffai<sup>48</sup>, Z. Raics<sup>22</sup>, N. Rainer<sup>3</sup>, M. Rakhmanov<sup>24</sup>, P. Rapagnani<sup>§8</sup>, V. Raymond<sup>65</sup>, V. Re<sup>§54</sup>, C. M. Reed<sup>17</sup>, T. Reed<sup>71</sup>, T. Regimbau<sup>9</sup>, H. Rehbein<sup>3</sup>, S. Reid<sup>18</sup>, D. H. Reitze<sup>10</sup>, F. Ricci<sup>§8</sup>, R. Riesen<sup>28</sup>, K. Riles<sup>40</sup>, B. Rivera<sup>17</sup>, P. Roberts<sup>72</sup>, N. A. Robertson<sup>1,18</sup>, F. Robinet<sup>11</sup>, C. Robinson<sup>32</sup>, E. L. Robinson<sup>14</sup>, A. Rocchi<sup>47</sup>, S. Roddy<sup>28</sup>, L. Rolland<sup>36</sup>, J. Rollins<sup>22</sup>, J. D. Romano<sup>24</sup>, R. Romano<sup>‡||2</sup>, J. H. Romie<sup>28</sup>, C. Röver<sup>3</sup>, S. Rowan<sup>18</sup>, A. Rüdiger<sup>3</sup>, P. Ruggi<sup>16</sup>, P. Russell<sup>1</sup>, K. Ryan<sup>17</sup>, S. Sakata<sup>66</sup>, F. Salemi<sup>§54</sup>, V. Sandberg<sup>17</sup>, V. Sannibale<sup>1</sup>, L. Santamaría<sup>14</sup>, S. Saraf<sup>73</sup>, P. Sarin<sup>20</sup>, B. Sassolas<sup>56</sup>, B. S. Sathyaprakash<sup>32</sup>, S. Sato<sup>66</sup>, M. Satterthwaite<sup>59</sup>, P. R. Saulson<sup>33</sup>, R. Savage<sup>17</sup>, P. Savov<sup>44</sup>, M. Scanlan<sup>71</sup>, R. Schilling<sup>3</sup>, R. Schnabel<sup>3</sup>, R. Schofield<sup>31</sup>, B. Schulz<sup>3</sup>, B. F. Schutz<sup>14,32</sup>, P. Schwinberg<sup>17</sup>, J. Scott<sup>18</sup>, S. M. Scott<sup>59</sup>, A. C. Searle<sup>1</sup>, B. Sears<sup>1</sup>, F. Seifert<sup>3</sup>, D. Sellers<sup>28</sup>, A. S. Sengupta<sup>1</sup>, D. Sentenac<sup>16</sup>, A. Sergeev<sup>67</sup>, B. Shapiro<sup>20</sup>, P. Shawhan<sup>35</sup>, D. H. Shoemaker<sup>20</sup>, A. Sibley<sup>28</sup>, X. Siemens<sup>4</sup>, D. Sigg<sup>17</sup>, S. Sinha<sup>5</sup>, A. M. Sintes<sup>64</sup>, B. J. J. Slagmolen<sup>59</sup>, J. Slutsky<sup>7</sup>, M. V. van der Sluys<sup>65</sup>, J. R. Smith<sup>33</sup>, M. R. Smith<sup>1</sup>, N. D. Smith<sup>20</sup>, K. Somiya<sup>44</sup>, B. Sorazu<sup>18</sup>, A. Stein<sup>20</sup>, L. C. Stein<sup>20</sup>, S. Steplewski<sup>29</sup>, A. Stochino<sup>1</sup>, R. Stone<sup>24</sup>, K. A. Strain<sup>18</sup>, S. Strigin<sup>26</sup>, A. Stroerer<sup>39</sup>, R. Sturani<sup>‡||38</sup>, A. L. Stuver<sup>28</sup>, T. Z. Summerscales<sup>72</sup>, K.-X. Sun<sup>5</sup>, M. Sung<sup>7</sup>, P. J. Sutton<sup>32</sup>, B. L. Swinkels<sup>16</sup>, G. P. Szokoly<sup>48</sup>, D. Talukder<sup>29</sup>, L. Tang<sup>24</sup>, D. B. Tanner<sup>10</sup>, S. P. Tarabrin<sup>26</sup>, J. R. Taylor<sup>3</sup>, R. Taylor<sup>1</sup>, R. Terenzi<sup>‡||47</sup>, J. Thacker<sup>28</sup>, K. A. Thorne<sup>28</sup>, K. S. Thorne<sup>44</sup>, A. Thüring<sup>13</sup>, K. V. Tokmakov<sup>18</sup>, A. Toncelli<sup>§6</sup>, M. Tonelli<sup>§6</sup>, C. Torres<sup>28</sup>, C. Torrie<sup>1</sup>, E. Tournefier<sup>36</sup>, F. Travasso<sup>§30</sup>, G. Traylor<sup>28</sup>, M. Trias<sup>64</sup>, J. Trummer<sup>36</sup>, D. Ugolini<sup>74</sup>, J. Ulmen<sup>5</sup>, K. Urbanek<sup>5</sup>, H. Vahlbruch<sup>13</sup>, G. Vajente<sup>§6</sup>, M. Vallisneri<sup>44</sup>, S. Vass<sup>1</sup>, R. Vaulin<sup>4</sup>, M. Vavoulidis<sup>11</sup>, A. Vecchio<sup>12</sup>, G. Vedovato<sup>||54</sup>, A. A. van Veggele<sup>18</sup>, J. Veitch<sup>12</sup>, P. Veitch<sup>62</sup>, C. Veltkamp<sup>3</sup>, D. Verkindt<sup>36</sup>, F. Vetranò<sup>‡||38</sup>, A. Viceré<sup>‡||38</sup>, A. Villar<sup>1</sup>, J.-Y. Vinet<sup>9</sup>, H. Vocca<sup>30</sup>, C. Vorvick<sup>17</sup>, S. P. Vyachanin<sup>26</sup>, S. J. Waldman<sup>20</sup>, L. Wallace<sup>1</sup>, H. Ward<sup>18</sup>, R. L. Ward<sup>1</sup>, M. Was<sup>11</sup>, A. Weidner<sup>3</sup>, M. Weinert<sup>3</sup>, A. J. Weinstein<sup>1</sup>, R. Weiss<sup>20</sup>, L. Wen<sup>19,44</sup>, S. Wen<sup>7</sup>, K. Wette<sup>59</sup>, J. T. Whelan<sup>14,75</sup>, S. E. Whitcomb<sup>1</sup>, B. F. Whiting<sup>10</sup>, C. Wilkinson<sup>17</sup>, P. A. Willems<sup>1</sup>, H. R. Williams<sup>51</sup>, L. Williams<sup>10</sup>, B. Willke<sup>3,13</sup>, I. Wilmot<sup>34</sup>, L. Winkelmann<sup>3</sup>, W. Winkler<sup>3</sup>, C. C. Wipf<sup>20</sup>, A. G. Wiseman<sup>4</sup>, G. Woan<sup>18</sup>, R. Wooley<sup>28</sup>, J. Worden<sup>17</sup>, W. Wu<sup>10</sup>, I. Yakushin<sup>28</sup>, H. Yamamoto<sup>1</sup>, Z. Yan<sup>19</sup>, S. Yoshida<sup>76</sup>, M. Yvert<sup>36</sup>, M. Zanolin<sup>60</sup>, J. Zhang<sup>40</sup>, L. Zhang<sup>1</sup>, C. Zhao<sup>19</sup>, N. Zotov<sup>71</sup>, M. E. Zucker<sup>20</sup> & J. Zweizig<sup>1</sup>

ISSN 0028-0836 EISSN 1476-4687

[About NPG](#)  
[Contact NPG](#)  
[RSS web feeds](#)  
[Help](#)

[Privacy policy](#)  
[Legal notice](#)  
[Accessibility statement](#)

[Nature News](#)  
[Naturejobs](#)  
[Nature Asia](#)  
[Nature Education](#)

Search:

© 2009 Nature Publishing Group, a division of Macmillan Publishers Limited. All Rights Reserved.  
 partner of AGORA, HINARI, OARE, INASP, CrossRef and COUNTER